

MULTIFLEX CHAINS



- 01 특별한 제품의
완벽한 이송
- 02 좁은 공간에서 사용 용이
- 03 낮은 소음

04



STEEL TABLE TOP AND PLATE TOP CHAINS





MULTIFLEX CHAINS

TABLE TOP CHAIN
MATTOP CHAIN
CONVEYOR COMPONENT

P 71



SIDE FLEXING CHAINS1050 (M)



CHAIN TYPE	CODE.NO	PLATE WIDTH K		WEIGHT kg/m	SURFACE FLATNESS R	WORKING LOAD N
		mm	inch			
FTM 1060 XLG	1132	83.8	3.30	1.60	500	1900

Standard length : 3.048m - 10 feet (120 links)

1050 TAB




CHAIN TYPE	CODE.NO	PLATE WIDTH K		WEIGHT kg/m	SURFACE FLATNESS R	WORKING LOAD N
		mm	inch			
FTM 1050 XLG	1133	83.8	3.30	1.93	500	1650

Standard length : 3.048m - 10 feet (120 links)

MULTIFLEX CHAINS

1702

P 72




CHAIN TYPE	CODE.NO	PLATE WIDTH K		WEIGHT kg/m	SURFACE FLATNESS R	WORKING LOAD N
		mm	inch			
WLF 1702	1138	53.1	2.09	1.43	150	2670

Standard length : 3.048m - 10 feet (60 links)

PR 200XL

P 72




CHAIN TYPE	CODE.NO	PLATE WIDTH K		WEIGHT kg/m	SURFACE FLATNESS R	WORKING LOAD N
		mm	inch			
PR 200XL	1139	55	2.09	1.43	150	2670

Standard length : 3.048m - 10 feet (60 links)

PRT 200XL

P 72



CHAIN TYPE	CODE.NO	PLATE WIDTH K		WEIGHT kg/m	SURFACE FLATNESS R	WORKING LOAD N
		mm	inch			
PRT 200XL	1140	55	2.09	1.43	150	2670

Standard length : 3.048m - 10 feet (80 links)

