


PLASTIC RS CHAIN AND CLIP TOP CHAIN



- 01 스틸체인, 스텐체인,
복열체인에 적용
- 02 파손되어도 부분 보완이 가능
- 03 산업재해 예방
- 04 제품 손상 방지

08





STEEL TABLE TOP AND PLATE TOP CHAINS



CLIP TOP CHAINS



TABLE TOP CHAIN
MATTOP CHAIN
CONVEYOR COMPONENT

PLASTIC RS SINGLE CHAIN




MODEL	LINK	PIN	P	R	W	L	H1	H2	D	무게
RS40	ACETAL	STAINLESS STEEL	12.7	7.94	7.95	20	6	6.7	4	0.36
RS60			19.05	11.91	12.7	30	8.5	8.8	6	0.72

PLASTIC RS 2040P CHAIN



MODEL	CODE.NO	MATERIAL		PLATE WIDTH(K)	WORKING LOAD(MAX)	BACKFLEX RADIUS(MIN)	WEIGHT
		PLATE	PIN	mm	N	R	kg/m
RS2040P	1130	ACETAL	STAINLESS STEEL	50	440	50	0.42



PLASTIC RS DOUBLE CHAIN



MODEL	LINK	PIN	P	R	W	L	H1	H2	D	무게
RS40PW	ACETAL	STAINLESS STEEL	12.7	7.94	7.95	20	6	6.7	4	0.72
RS60PW			19.05	11.91	12.7	30	8.5	8.8	6	1.44



CORNER TRACKS

CC35, CC40, CC50, CC60, CC80





MODEL	CHAIN	P	A	B	E	H	T	R	W	무게
CC35(CC09B)	RS35(RF06B)	9.525	18	16	4.6	13.5	8.5	5.08(6.35)	4.78(4.72)	0.45
CC40(CC06B)	RS40(RF06B)	12.7	24	22	6.4	18.0	11.0	7.92(8.51)	7.95(8.51)	0.85
CC50	RS50	15.875	30	27	7.5	21.5	13.0	10.16	9.53	1.36
CC60	RS60	9.05	36	32	9.0	25.0	15.0	11.91	12.7	2.0
CC80	RS80	25.4	49	40	12.5	32.0	19.0	15.88	15.88	3.2

CC40-2, CC60-2



MODEL	CHAIN	P	A	B	E	H	T	R	W	무게
CC40-2	RS40-2	12.7	24	37	6.4	18	11	7.92	7.95	1.55
CC60-2	RS60-2	19.05	36	56	9.0	25	15	11.91	12.7	3.7

FTC40, FTC60



MODEL	CHAIN	P	R	W	M	H	E	B	N	F	Z	무게
FTC 40	RS40	12.7	7.92	7.95	8.0	15.0	1.5	23.5	12.2	7.0	12.0	1.03
FTC 60	RS60	19.05	11.91	12.7	10.0	20.5	2.0	35.5	16.5	10.5	22.0	2.23


FTC40, FTC60



CT




CT-SUS



MODEL	CHAIN	P	R	W	H	E	B	N	F	Z	무게
CT40	RS40	12.70	7.92	7.95	9.0	1.5	23.5	12.2	7.0	2.0	0.66
CT60	RS60	19.05	11.91	12.70	13.5	2.0	35.5	18.5	10.5	3.0	1.95

CORNER TRACKS

CONVEYOR FRAME(FCP 45135)




기술 DATA(TECHNICAL DATA)

- 재질(ALLOY) : A6N01-T5
- 표면처리(FINISH) : SILVER ANODIZED COAT
- 단면적(CROSS SECTION AREA) : 1384.82mm²
- 단중량(UNIT WEIGHT) : 3.73kg/m

용도(USE)

- CHAIN CONVEYOR (RS40)
- PALLET CONVEYOR

CONVEYOR FRAME(FCP 60165)




기술 DATA(TECHNICAL DATA)

- 재질(ALLOY) : A6N01-T5
- 표면처리(FINISH) : SILVER ANODIZED COAT
- 단면적(CROSS SECTION AREA) : 1956.27mm²
- 단중량(UNIT WEIGHT) : 5.28kg/m


용도(USE)

- CHAIN CONVEYOR (RS60)
- PALLET CONVEYOR


PCR 40



PCR 60



PCRR 40



PCRR 60

