


CARRIER CHAIN



- 01 소형, 경량 운송
- 02 간편한 조립
- 03 저소음
- 04 청결유지

09

CARRIER CHAIN





SIDE GRIP CONVEYOR




CARRIER CHAIN

CARRY TYPE CHAIN




CHAIN TYPE	CODE.NO	MATERIAL		PLATE	WORKING	SIDEFLEX	WEIGHT
		plate	pin	WIDTH(K) mm	LOAD(max) N	RADIUS(min) R	
P826CF	1901	Acetal	Stainless Steel	82.6	3.25	200	1.28
P103CF	1902			103.0	4.05	250	1.38
P140CF	1903			140.0	5.51	300	1.50

CARRY TYPE SPROCKET





TEETH	BORE(mm)	PITCH DIAMETER(E)	OUTSIDE DIAMETER(F)
9	25.30	113	114

AL FRAMES FOR CARRY TYPE CHAIN





TYPE

AL FRAME FOR P82.6CF




TYPE

AL FRAME FOR P103CF











TYPE

AL FRAME FOR P140CF








CARRIER CHAIN

FLEXIBLE VCONVEYOR COMPONENTS (DRIVE / TAIL PARTS)



CARRY SPLIT TYPE NON-SLIP CHAIN



CARRIER CHAIN



FLEXIBLE VCONVEYOR COMPONENTS(MOTOR FLANGE)



TYPE : "MOTOVARIO"
0.2kW Motor Flange
-NMRV040

Material : Aluminum


CODE	6037
------	------



TYPE : "MOTOVARIO"
0.4kW Motor Flange
-NMRV050

Material : Aluminum


CODE	6038
------	------



TYPE : "MOTOVARIO"
0.75kW Motor Flange
-NMRV063

Material : Aluminum



CODE	6039
------	------



TYPE : "BONFIGLIOLI"
0.18kW Motor Flange
-VF44

Material : Aluminum


CODE	6040
------	------



TYPE : "BONFIGLIOLI"
0.37kW Motor Flange
-VF49

Material : Aluminum


CODE	6041
------	------







TYPE : "BONFIGLIOLI"
0.75kW Motor Flange
-VF63

Material : Aluminum

CODE	6042
------	------



CHAIN FOR SIDE GRIP CONVEYOR





CARRIER CHAIN

AL FPAMES FOR CARRY TYPE CHAIN





TYPE

AL FRAME FOR P82.6CF





TYPE

AL FRAME FOR P103CF




TYPE

AL FRAME FOR P140CF









TYPE

AL P290CF







FLEXIBLE VCONVEYOR COMPONENTS (DRIVE / TAIL PARTS)



CARRIER CHAIN

LEG SUPPORT PARTS





SECTION

TYPE	80X80
------	-------

Material : Aluminum
Color : Gray


FLEXIBLE CONVEYOR COMPONENTS



LEG BRACKET
(P103F)

Material : Aluminum



TYPE	CODE
P103CF	6053



L BRACKET
(P603F, P826CF, P140CF)

Material : Aluminum



TYPE	A	CODE
P63.5F	30	6054
P82.6CF	40	6055
P140CF	40	6056



WJ PROFILE 40X40

Material : Aluminum
Standard(L) : 4m

TYPE	CODE
WJ 40X40	6057




WJ PROFILE 80X80

Material : Aluminum
Standard(L) : 4m

TYPE	CODE
WJ 80X80	6058

CARRIER CHAIN


FLEXIBLE CONVEYOR COMPONENTS



CAP NUTS(M6, M8)

Material : Steel(nickel-plated)


TYPE	CODE
M6	6067
M8	6068



ANGLE JOINT(FOR WJ 40X40)

Material : Steel(nickel-plated)


TYPE	CODE
ANGLE JOINT-20	6069



ANGLE JOINT

Material : Steel(nickel-plated)

TYPE	CODE
ANGLE JOINT-14	6070




Z- JOINT

Material : Steel(nickel-plated)

TYPE	CODE
Z-JOINT-20	6071


FLEXIBLE CONVEYOR COMPONENTS



SEMS SOCKET BOLT(M8)

Material : Steel(nickel-plated)


TYPE	CODE
M8-20L	6061
M8-18L	6062



T BOLT(M6)

Material : Steel(nickel-plated)


TYPE	CODE
M8	6063



SPRING NUT(M8)

Material : Steel(nickel-plated)

TYPE	CODE
M8	6065



SPRING NUT(M6)

Material : Steel(nickel-plated)

TYPE	CODE
M6	6066


CARRIER CHAIN

CONVEYOR FRAME BENDING




WHEEL BEND

A°	30, 45, 90, 180	R	150, 200
----	-----------------	---	----------



HORIZONTAL PLAIN BEND

A°	30, 45, 60, 90	R	500, 700, 1000
----	----------------	---	----------------



VERTICAL PLAIN BEND

A°	30, 45, 60, 90	R	500, 700, 1000
----	----------------	---	----------------

